BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 84 NOS. 1,2

CONTENTS

8 DECEMBER 2000

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines for the submission of manuscripts	v
Themes and Topics	ix
Announcements	
Call for papers – Gene Expression Patterns	xi
Electronic submission of all article types via the WWW now possible	xii
Brain Research Interactive Young Investigator Awards	xiii
Research reports	
ZFOR2, a new opioid receptor-like gene from the teleost zebrafish (Danio rerio)	
A. Barrallo, R. González-Sarmiento, F. Alvar, R.E. Rodríguez (Spain)	1
Low selenium diet induces tyrosine hydroxylase enzyme in nigrostriatal system of the rat	-
M. Romero-Ramos, J.L. Venero, J. Cano, A. Machado (Spain)	7
A tyrosine hydroxylase-neurofilament chimeric promoter enhances long-term expression in rat forebrain neurons from helper virus-free HSV-1 vectors	
Gr. Zhang, X. Wang, T. Yang, M. Sun, W. Zhang, Y. Wang, A.I. Geller (USA)	17
Homocysteine-induced changes in mRNA levels of genes coding for cytoplasmic- and endoplasmic reticulum-resident stress proteins in neuronal cell cultures	
S. Althausen, W. Paschen (Germany)	32
The differential molecular mechanisms underlying proenkephalin mRNA expression induced by forskolin and phorbol-12-myristic-13-acetate in primary cultured astrocytes	
JS. Won, HW. Suh (South Korea)	41
Pivagabine-induced increases in the abundance of CRF mRNA in the cerebral cortex and hypothalamus of rats	
P. Follesa, E. Cagetti, S. Porta, G. Espositoto, G. Biggio (Italy)	52
Postischemic changes in the immunophilin FKBP12 in the rat brain	
H. Kato, T. Oikawa, K. Otsuka, A. Takahashi, Y. Itoyama (Japan)	58
Nigrostriatal innervation is preserved in Nurr1-null mice, although dopaminergic neuron precursors are arrested from terminal differentiation	
J. Witta, J.S. Baffi, M. Palkovits, É. Mezey, S.O. Castillo, V.M. Nikodem (USA)	67
Mild deficits in mice lacking pituitary adenylate cyclase-activating polypeptide receptor type 1 (PAC1) performing on memory tasks M. Sauvage, P. Brabet, F. Holsboer, J. Bockaert, T. Steckler (Germany, France)	79
Conserved helix 7 tyrosine functions as an activation relay in the serotonin 5HT _{2C} receptor	
A. Rosendorff, B.J. Ebersole, S.C. Sealfon (USA)	90
Hypothalamic CART and serum leptin levels are reduced in the anorectic (anx/anx) mouse	
J.E. Johansen, C. Broberger, C. Lavebratt, C. Johansson, M.J. Kuhar, T. Hökfelt, M. Schalling (Sweden, USA)	97
Molecular characterization and distribution of the opioid growth factor receptor (OGFr) in mouse	
I.S. Zagon, M.F. Verderame, W.E. Zimmer, P.J. McLaughlin (USA)	106

(Contents continued inside)



0169-328X(20001208)84:1/2:1-X

BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 84 NOS. 1,2

CONTENTS

8 DECEMBER 2000

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – EMBASE/Excerpta Medica – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Elsevier BIOBASE/Current Awareness in Biological Sciences

Guidelines for the submission of manuscripts	v
Themes and Topics	ix
Announcements	
Call for papers – Gene Expression Patterns	xi
Electronic submission of all article types via the WWW now possible	xii
Brain Research Interactive Young Investigator Awards	xiii
Research reports	
ZFOR2, a new opioid receptor-like gene from the teleost zebrafish (Danio rerio)	
A. Barrallo, R. González-Sarmiento, F. Alvar, R.E. Rodríguez (Spain)	1
Low selenium diet induces tyrosine hydroxylase enzyme in nigrostriatal system of the rat	-
M. Romero-Ramos, J.L. Venero, J. Cano, A. Machado (Spain)	7
A tyrosine hydroxylase-neurofilament chimeric promoter enhances long-term expression in rat forebrain neurons from helper virus-free HSV-1 vectors	
Gr. Zhang, X. Wang, T. Yang, M. Sun, W. Zhang, Y. Wang, A.I. Geller (USA)	17
Homocysteine-induced changes in mRNA levels of genes coding for cytoplasmic- and endoplasmic reticulum-resident stress proteins in neuronal cell cultures	
S. Althausen, W. Paschen (Germany)	32
The differential molecular mechanisms underlying proenkephalin mRNA expression induced by forskolin and phorbol-12-myristic-13-acetate in primary cultured astrocytes	
JS. Won, HW. Suh (South Korea)	41
Pivagabine-induced increases in the abundance of CRF mRNA in the cerebral cortex and hypothalamus of rats	
P. Follesa, E. Cagetti, S. Porta, G. Espositoto, G. Biggio (Italy)	52
Postischemic changes in the immunophilin FKBP12 in the rat brain	
H. Kato, T. Oikawa, K. Otsuka, A. Takahashi, Y. Itoyama (Japan)	58
Nigrostriatal innervation is preserved in Nurr1-null mice, although dopaminergic neuron precursors are arrested from terminal differentiation	
J. Witta, J.S. Baffi, M. Palkovits, É. Mezey, S.O. Castillo, V.M. Nikodem (USA)	67
Mild deficits in mice lacking pituitary adenylate cyclase-activating polypeptide receptor type 1 (PAC1) performing on memory tasks M. Sauvage, P. Brabet, F. Holsboer, J. Bockaert, T. Steckler (Germany, France)	79
Conserved helix 7 tyrosine functions as an activation relay in the serotonin 5HT _{2C} receptor	
A. Rosendorff, B.J. Ebersole, S.C. Sealfon (USA)	90
Hypothalamic CART and serum leptin levels are reduced in the anorectic (anx/anx) mouse	
J.E. Johansen, C. Broberger, C. Lavebratt, C. Johansson, M.J. Kuhar, T. Hökfelt, M. Schalling (Sweden, USA)	97
Molecular characterization and distribution of the opioid growth factor receptor (OGFr) in mouse	
I.S. Zagon, M.F. Verderame, W.E. Zimmer, P.J. McLaughlin (USA)	106

(Contents continued inside)



0169-328X(20001208)84:1/2:1-X

(contents continued)

Positive-negative epitope-tagging of β amyloid precursor protein to identify inhibitors of Aβ processing	
D. Seiffert, T. Mitchell, A.M. Stern, A. Roach, Y. Zhan, R. Grzanna (USA)	113
Simultaneous induction of mitochondrial heat shock protein mRNAs in rat forebrain ischemia	
A. Okubo, H. Kinouchi, Y. Owada, H. Kunizuka, H. Itoh, K. Izaki, H. Kondo, Y. Tashima, T. Yoshimoto, K. Mizoi (Japan)	12
Short communiocations	
Tyrosine hydroxylase and norepinephrine transporter mRNA expression in the locus coeruleus in Alzheimer's disease	
P. Szot, J.B. Leverenz, E.R. Peskind, E. Kiyasu, K. Rohde, M.A. Miller, M.A. Raskind (USA)	13:
Expression of the $Sox 10$ gene during mouse inner ear development	
Ki. Watanabe, K. Takeda, Y. Katori, K. Ikeda, T. Oshima, Ki. Yasumoto, H. Saito, T. Takasaka, S. Shibahara (Japan)	14
Differential expression of neurexin mRNA in CA1 and CA3 hippocampal neurons in response to ischemic insult	
H.B. Sun, H. Yokota, X.X. Chi, Z.C. Xu (USA)	14
Molecular cloning and expression analysis of human glycogen synthase kinase-3α promoter	
KF. Lee, J.YC. Chan, KF. Lau, WC. Lee, C.C.J. Miller, B.H. Anderton, PC. Shaw (China, UK)	15
Determination of D1 and D2 dopamine receptor expression by Ntera-2 cells	
D.J. Sakolsky, B. Ashby (USA)	15
	14



This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: www.elsevier.nl/locate/contentsdirect